

SIEMENS

Siemens Water Technologies Corp.

CERTIFICATE OF RESTRICTED WASTE MEETING TREATMENT STANDARDS

Pursuant to CCR Title 22, Section 66268.68.7(a)(2), if a generator determines that they are managing a restricted waste and determines that the waste can be land disposed without further treatment, with each shipment of waste the generator shall submit, to the treatment, storage or land disposal facility, a notice and certification stating that the waste meets the applicable treatment standards set forth in CCR Title 22, Chapter 18, Article 4 and 11, and the applicable prohibitions set forth in section 66268.32 or RCRA Section 3004(d)

Manifest Number	Generator Name	EPA#
I. WASTE MEETS TREATMENT STANDARDS (CCR Title 22, Chapter 18, Section 66268.7(a)(2)(B)) I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification, that the waste complies with the treatment standards specified in CCR Title 22, Division 4.5, Chapter 18, Article 4 and Article 11 and all applicable prohibitions set forth in CCR Title 22, Section 66268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.		
Manifest Line Item Number(s) _____		Authorized Representative-Initial _____

II. WASTE MEETING PERFORMANCE STANDARDS (CCR (Title 11, Chapter 18, Section 662268.7(b)(5)(A)) I certify under penalty of law that I personally have examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining the information. I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in CCR Title 22, Division 4.5, Chapter 18, Article 4 and Article 11 and all applicable prohibitions set forth in CCR Title 22 Section 66268.32 or RCRA Section 3004(d), without impermissible dilution of prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility fine and imprisonment.		
Manifest Line Item Number(s) _____		Authorized Representative-Initial _____

III. WASTE MEETING TECHNOLOGY STANDARDS (CCR TITLE 22, CHAPTER 18, SECTION 66268.7(b)(5)(B)) I certify under penalty of law that the waste has been treated in accordance with the requirements of CCR Title 22, Section 66268.42 and Section 66268.108. I am aware that the are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.		
Manifest Line Item Number(s) _____		Authorized Representative-Initial _____

IV. WASTE TREATED TO REMOVE RCRA CHARACTERISTICS (CCR Title 22, Chapter 18, Section 66268.7(b)(5)(D)) I certify under penalty of law that the waste has been treated in accordance with the requirements of CCR Title 22 Section 66268.40 to remove the hazardous characteristics. This decharacterized waste contains Underlying Hazardous Constituents (UHCs) that require further treatment to meet Universal Treatment Standards (UTSs). I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.		
Manifest Line Item Number(s) _____		Authorized Representative-Initial _____
(Indicate on the attached UTS Table those constituents where the Universal Treatment Standards have not been met)		

V. DEBRIS TREATED TO MEET ALTERNATIVE STANDARDS (CCR Title 22, Chapter 18, Section 66268.7(d)(3)(C)) I certify under penalty of law that the debris has been treated in accordance with the requirements of CCR Title 22 Division 4.5, Chapter 18 Section 66268.45. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.		
Manifest Line Item Number(s) _____		Authorized Representative-initial _____

_____	_____
COMPANY NAME	TITLE
_____	_____
AUTHORIZED SIGNATURE	PRINTED NAME
_____	_____
	DATE

SIEMENS

Siemens Water Technologies Corp.

LAND DISPOSAL RESTRICTION NOTIFICATION

Pursuant to CCR Title 22, Section 66268.7(40 CFR 268.7(a)), I hereby notify that this waste shipment contains one or more of the following wastes restricted under the land disposal restrictions for which applicable treatment standards are set forth in CCR Title 22, Section 66268.40 (40 CFR 268.40)

Manifest Number		Generator Name:			EPA#	
RCRA HAZARDOUS WASTE INFORMATION						
U.S.F. PROFILE NUMBER/ MANIFEST LINE ITEM NUMBER	List all D, F, K, U & P Codes	Subcategory (IF ANY)	WASTEWATER*/ NONWASTEWATER WW NWW		California List ** Per CCR Title 22, Section 66268.32	Hazardous Debris Subject To CCR Title 22, Sec 66268.45
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> For: _____	<input type="checkbox"/>
ADDITIONAL INFORMATION						
CERTIFICATION:						
I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification. I believe that the information I have submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.						
_____		_____				
COMPANY NAME		AUTHORIZED SIGNATURE				
_____		_____		_____		
PRINTED NAME		TITLE		DATE		

SIEMENS

Siemens Water Technologies Corp.

UTS Table

Page 1 of 2

This table identifies the constituents listed in 40 CFR 268.48 for which universal treatment standards have been set. Use this table in conjunction with the U.S.F LDR form to identify Underlying Hazardous Constituents (UHC's) to be monitored for: D001, D002, D012-D043, F001-F005 and F039 waste streams.

Please check the appropriate box(es) for the UHC(s) present in the waste:

Line Item #	#	Constituents	Limits		Line Item #	Constituents	Limits			
			W/W	N/NW			W/W	NW		
<input type="checkbox"/>	33	Acenaphthylene		0.059	3.4	<input type="checkbox"/>	88	1,2-Dibromo-3-chloropropane	.11	15
<input type="checkbox"/>	34	Acenaphthene		.059	3.4	<input type="checkbox"/>	89	Ethylene dibromide (1,2 Dibromoethane)	.028	15
<input type="checkbox"/>	35	Acetone		.28	160	<input type="checkbox"/>	90	Dibromomethane	.11	15
<input type="checkbox"/>	36	Acetonitrile		5.6	1.8	<input type="checkbox"/>	91	2,4-D (2,4-Dichlorophenoxyacetic Acid)	.72	10
<input type="checkbox"/>	37	Acetophenone		0.010	9.7	<input type="checkbox"/>	92	o,p-DDD	0.023	0.087
<input type="checkbox"/>	38	2-Acetylaminofluorene		0.059	140	<input type="checkbox"/>	93	p,p-DDD	0.023	0.087
<input type="checkbox"/>	39	Acrolein		0.29	NA	<input type="checkbox"/>	94	o,p-DDE	0.031	0.087
<input type="checkbox"/>	40	Acrylamide		19	23	<input type="checkbox"/>	95	p,p-DDE	0.031	0.087
<input type="checkbox"/>	41	Acrylonitrile		0.24	84	<input type="checkbox"/>	96	o,p-DDT	0.0039	0.087
<input type="checkbox"/>	42	Aldrin		0.021	NA	<input type="checkbox"/>	97	p,p-DDT	0.0039	0.087
<input type="checkbox"/>	43	4-Aminobiphenyl		0.13	0.066	<input type="checkbox"/>	98	Dibenz(a,h)anthracene	0.055	8.2
<input type="checkbox"/>	44	Aniline		0.81	14	<input type="checkbox"/>	99	Dibenz(a,e)pyrene	0.061	NA
<input type="checkbox"/>	45	Anthracene		0.59	3.4	<input type="checkbox"/>	100	m-Dichlorobenzene	0.036	6.0
<input type="checkbox"/>	46	Aramite		0.36	NA	<input type="checkbox"/>	101	o-Dichlorobenzene	0.088	6.0
<input type="checkbox"/>	47	alpha-BHC		0.00014	0.066	<input type="checkbox"/>	102	p-Dichlorobenzene	0.090	6.0
<input type="checkbox"/>	48	beta-BHC		0.00014	0.066	<input type="checkbox"/>	103	Dichlorodifluoromethane	0.23	7.2
<input type="checkbox"/>	49	delta-BHC		0.023	0.066	<input type="checkbox"/>	104	1,1-Dichloroethane	0.059	6.0
<input type="checkbox"/>	50	gamma-BHC		0.0017	0.066	<input type="checkbox"/>	105	1,2-Dichloroethane	0.21	6.0
<input type="checkbox"/>	51	Benzene		0.14	10	<input type="checkbox"/>	106	1,1-Dichloroethylene	0.025	6.0
<input type="checkbox"/>	52	Benz(a)anthracene		0.059	3.4	<input type="checkbox"/>	107	trans-1,2-Dichloroethylene	0.054	30
<input type="checkbox"/>	53	Benzal chloride		0.055	6.0	<input type="checkbox"/>	108	2,4-Dichlorophenol	0.044	14
<input type="checkbox"/>	54	Benzo(b)fluoranthene		0.11	6.8	<input type="checkbox"/>	109	2,6-Dichlorophenol	0.044	14
<input type="checkbox"/>	55	Benzo(k)fluoranthene		0.11	6.8	<input type="checkbox"/>	110	1,2-Dichloropropane	0.85	18
<input type="checkbox"/>	56	Benzo(g,h,i)perylene		0.0055	1.8	<input type="checkbox"/>	111	cis-1,3-Dichloropropylene	0.036	18
<input type="checkbox"/>	57	Benzo(a)perylene		0.061	3.4	<input type="checkbox"/>	112	trans-1,3-Dichloropropylene	0.036	18
<input type="checkbox"/>	58	Bromodichloroethane		0.35	15	<input type="checkbox"/>	113	Dieldrin	0.017	0.13
<input type="checkbox"/>	59	Methyl Bromide (Bromomethane)		0.11	15	<input type="checkbox"/>	114	Diethyl phthalate	0.20	28
<input type="checkbox"/>	60	4-Bromophenyl phenyl ether		0.055	15	<input type="checkbox"/>	115	2,4-Dimethyl phenol	0.036	14
<input type="checkbox"/>	61	n-Butyl alcohol		5.6	2.6	<input type="checkbox"/>	116	Dimethyl phthalate	0.047	28
<input type="checkbox"/>	62	Butyl benzyl phthalate		0.017	28	<input type="checkbox"/>	117	Di-n-butyl phthalate	0.057	28
<input type="checkbox"/>	63	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)		0.066	2.5	<input type="checkbox"/>	118	1,4-Dinitrobenzene	0.32	2.3
<input type="checkbox"/>	64	Carbon Disulfide		3.8	4.8 TCLP	<input type="checkbox"/>	119	4,6-Dinitro-o-cresol	0.28	160
<input type="checkbox"/>	65	Carbon tetrachloride		0.057	6.0	<input type="checkbox"/>	120	2,4-Dinitrophenol	0.12	160
<input type="checkbox"/>	66	Chlordane (alpha & gamma isomers)		0.0033	0.26	<input type="checkbox"/>	121	2,4-Dinitrotoluene	0.32	140
<input type="checkbox"/>	67	p-Chloroaniline		0.476	16	<input type="checkbox"/>	122	2,6-Dinitrotoluene	0.55	28
<input type="checkbox"/>	68	Chlorobenzene		0.057	6.0	<input type="checkbox"/>	123	Di-n-octyl phthalate	0.017	28
<input type="checkbox"/>	69	Chlorobenzilate		0.10	NA	<input type="checkbox"/>	124	p-Dimethylaminoazobenzene	0.13	NA
<input type="checkbox"/>	70	2-Chloro-1,3-butadiene		0.057	0.28	<input type="checkbox"/>	125	Di-n-propylnitrosamine	0.40	14
<input type="checkbox"/>	71	Chlorodibromomethane		0.057	15	<input type="checkbox"/>	126	1,4-Dioxane	NA	170
<input type="checkbox"/>	72	Chloroethane		0.27	6.0	<input type="checkbox"/>	127	Diphenylamine	0.92	13
<input type="checkbox"/>	73	bis(2-Chloroethoxy)methane		0.036	7.2	<input type="checkbox"/>	128	Diphenylnitrosamine	0.92	13
<input type="checkbox"/>	74	bis(2-Chloroethyl)ether		0.033	6.0	<input type="checkbox"/>	129	1,2-Diphenylhydrazine	0.087	NA
<input type="checkbox"/>	75	Chloroform		0.046	6.0	<input type="checkbox"/>	130	Disulfoton	0.017	6.2
<input type="checkbox"/>	76	bis(2-Chloroisopropyl)ether		0.055	7.2	<input type="checkbox"/>	131	Endosulfan I	0.023	0.066
<input type="checkbox"/>	77	p-Chloro-m-cresol		0.018	14	<input type="checkbox"/>	132	Endosulfan II	0.029	0.013
<input type="checkbox"/>	78	2-Chloroethyl vinyl ether		0.062	NA	<input type="checkbox"/>	133	Endosulfan sulfate	0.029	0.013
<input type="checkbox"/>	79	Chloromethane (Methyl Chloride)		0.19	30	<input type="checkbox"/>	134	Endrin	0.0028	0.013
<input type="checkbox"/>	80	2-Chloronaphthalene		0.055	5.6	<input type="checkbox"/>	135	Endrin aldehyde	0.025	0.13
<input type="checkbox"/>	81	2-Chlorophenol		0.044	5.7	<input type="checkbox"/>	136	Ethyl acetate	0.34	33
<input type="checkbox"/>	82	3-Chloropropylene		0.036	30	<input type="checkbox"/>	137	Ethyl Cyanide (Propanenitrile)	0.24	360
<input type="checkbox"/>	83	Chrysene		0.069	3.4	<input type="checkbox"/>	138	Ethyl benzene	0.057	10
<input type="checkbox"/>	84	o-Cresol		0.11	5.6	<input type="checkbox"/>	139	Ethyl ether	0.12	160
<input type="checkbox"/>	85	m-Cresol		0.77	5.6	<input type="checkbox"/>	140	bis(2-Ethylhexyl) phthalate	0.14	28
<input type="checkbox"/>	86	p-Cresol		0.77	5.6	<input type="checkbox"/>	141	Ethyl methacrylate	0.14	160
<input type="checkbox"/>	87	Cyclohexane		0.36	0.75 TCLP	<input type="checkbox"/>	142	Ethylene oxide	0.12	NA

*LINE ITEM = MANIFEST LINE ITEM NUMBER (i.e. 11a, 11b..)

SIEMENS

Siemens Water Technologies Corp.

UTS Table

Page 2 of 2

This table identifies the constituents list in 40 CFR 268.48 for which universal treatment standards have been set. Use this table in conjunction with the N.E.S. LDR form to identify Underlying Hazardous Constituents (UHC's) to be monitored for: D001, D002, D012-D043, F001-F005 and F039 waste streams.

Please check the appropriate box(es) for the UHC(s) present in the waste:

Line Item #	#	Constituents	Limits		Line Item #	Constituents	Limits			
			W/W	N/WW			W/W	NWW		
<input type="checkbox"/>	143	Famphur		0.017	15	<input type="checkbox"/>	197	Phenanthrene	0.059	5.6
<input type="checkbox"/>	144	Fluoranthene		0.068	3.4	<input type="checkbox"/>	198	Phenol	0.039	6.2
<input type="checkbox"/>	145	Fluorene		0.059	3.4	<input type="checkbox"/>	199	Phorate	0.021	4.6
<input type="checkbox"/>	146	Heptachlor		0.0012	0.066	<input type="checkbox"/>	200	Phthalic acid	0.055	28
<input type="checkbox"/>	147	Heptachlor epoxide		0.016	0.066	<input type="checkbox"/>	201	Phthalic anhydride	0.055	28
<input type="checkbox"/>	148	Hexachlorobenzene		0.055	10	<input type="checkbox"/>	202	Pronamide	0.093	1.5
<input type="checkbox"/>	149	Hexachlorobutadiene		0.055	5.6	<input type="checkbox"/>	203	Pyrene	0.667	8.2
<input type="checkbox"/>	150	Hexachlorocyclopentadiene		0.057	2.4	<input type="checkbox"/>	204	Pyridine	0.014	16
<input type="checkbox"/>	151	HxCDDs(All Hexachlorodibenzo-p-dioxins)		0.000063	0.001	<input type="checkbox"/>	205	Safrole	0.081	22
<input type="checkbox"/>	152	HxCDFs(All Hexachlorodibenzofurans)		0.000063	0.001	<input type="checkbox"/>	206	Silvex (2,4,5-TP)	0.72	7.9
<input type="checkbox"/>	153	Hexachloroethane		0.055	30	<input type="checkbox"/>	207	2,4,5-T(2,4,5-Trichlorophenoxyacetic acid)	0.72	7.9
<input type="checkbox"/>	154	Hexachloropropylene		0.035	30	<input type="checkbox"/>	208	1,2,4,5-Tetrachlorobenzene	0.055	14
<input type="checkbox"/>	155	Indeno (1,2,3-c,d) pyrene		0.0055	3.4	<input type="checkbox"/>	209	TCDDs (All Tetrachlorodibenzo-p-dioxins)	0.000063	0.001
<input type="checkbox"/>	156	Iodomethane		0.19	65	<input type="checkbox"/>	210	TCDFs(All Tetrachlorodibenzofurans)	0.000063	0.001
<input type="checkbox"/>	157	Isobutyl alcohol		5.6	170	<input type="checkbox"/>	211	1,1,1,2-Tetrachloroethane	0.057	6.0
<input type="checkbox"/>	158	Isodrin		0.021	0.066	<input type="checkbox"/>	212	1,1,2,2-Tetrachloroethane	0.057	6.0
<input type="checkbox"/>	159	Isosafrole		0.081	2.6	<input type="checkbox"/>	213	Trichloroethylene	0.056	6.0
<input type="checkbox"/>	160	Kepone		0.0011	0.13	<input type="checkbox"/>	214	2,3,4,6-Tetrachlorophenol	0.30	7.4
<input type="checkbox"/>	161	Meltracrylonitrile		0.24	84	<input type="checkbox"/>	215	Toluene	0.80	10
<input type="checkbox"/>	162	Methanol		15.6	0.75 TCLP	<input type="checkbox"/>	216	Toxaphene	0.0095	2.6
<input type="checkbox"/>	163	Methylpyridine		0.081	1.5	<input type="checkbox"/>	217	Bromofom(Tribromomethane)	0.63	15
<input type="checkbox"/>	164	Methoxychlor		0.25	0.18	<input type="checkbox"/>	218	1,2,4-Trichlorobenzene	0.055	19
<input type="checkbox"/>	165	3-Methylcholanthrene		0.0055	15	<input type="checkbox"/>	219	1,1,1-Trichloroethane	0.054	6.0
<input type="checkbox"/>	166	4,4-Methylene bis(2-chloraniline)		0.50	30	<input type="checkbox"/>	220	1,1,2-Trichloroethane	0.054	6.0
<input type="checkbox"/>	167	Methylene chloride		0.089	30	<input type="checkbox"/>	221	Trichloroethylene	0.054	6.0
<input type="checkbox"/>	168	Methyl ethyl ketone		0.28	36	<input type="checkbox"/>	222	Trichloromonofluoromethane	0.20	30
<input type="checkbox"/>	169	Methyl isobutyl ketone		0.14	33	<input type="checkbox"/>	223	2,4,5-Trichlorophenol	0.18	7.4
<input type="checkbox"/>	170	Methyl methacrylate		0.14	160	<input type="checkbox"/>	224	2,4,6-Trichlorophenol	0.035	7.4
<input type="checkbox"/>	171	Methyl methanesulfonate		0.018	NA	<input type="checkbox"/>	225	1,2,3-Trichloropropane	0.85	30
<input type="checkbox"/>	172	Methyl parathion		0.014	4.6	<input type="checkbox"/>	226	1,1,2-Trichloro-1,2,2-trifluoroethane	0.057	30
<input type="checkbox"/>	173	Naphthalene		0.059	5.6	<input type="checkbox"/>	227	tris-(2,3-Dibromopropyl) phosphate	0.11	0.10
<input type="checkbox"/>	174	2-Naphthylamine		0.52	NA	<input type="checkbox"/>	228	Vinyl chloride	0.27	6.0
<input type="checkbox"/>	175	o-Nitroaniline		0.27	14	<input type="checkbox"/>	229	Xylenes-mixed isomers(sum of o-m-and p-xylylene concentrations)	0.32	30
<input type="checkbox"/>	176	p-Nitroaniline		0.028	28					
<input type="checkbox"/>	177	Nitrobenzene		0.068	14	<input type="checkbox"/>	230	Antimony	1.9	2.1 TCLP
<input type="checkbox"/>	178	5-Nitro-o-toluidine		0.032	28	<input type="checkbox"/>	231	Arsenic	1.4	5.0 TCLP
<input type="checkbox"/>	179	o-Nitrophenol		0.028	13	<input type="checkbox"/>	232	Barium	1.2	7.6 TCLP
<input type="checkbox"/>	180	p-Nitrophenol		0.12	29	<input type="checkbox"/>	233	Beryllium	0.82	0.014 TCLP
<input type="checkbox"/>	181	N-Nitrosodiethylamine		0.40	28	<input type="checkbox"/>	234	Cadmium	0.69	0.19 TCLP
<input type="checkbox"/>	182	N-Nitrosodimethylamine		0.40	2.3	<input type="checkbox"/>	235	Chromium (Total)	2.77	0.86 TCLP
<input type="checkbox"/>	183	N-Nitroso-n-butylamine		0.40	17	<input type="checkbox"/>	236	Cyanide (Total)	1.2	590
<input type="checkbox"/>	184	N-Nitrosomethylamine		0.40	2.3	<input type="checkbox"/>	237	Cyanide (Amenable)	0.86	30
<input type="checkbox"/>	185	N-Nitrosomorpholine		0.40	2.3	<input type="checkbox"/>	238	Fluoride	35	NA
<input type="checkbox"/>	186	N-Nitrosopiperidine		0.013	35	<input type="checkbox"/>	239	Lead	0.69	0.37 TCLP
<input type="checkbox"/>	187	N-Nitrosopyrrolidine		0.013	35	<input type="checkbox"/>	240	Mercury-Nonwastewater from retort)	NA	0.20 TCLP
<input type="checkbox"/>	188	Parathion		0.014	4.6	<input type="checkbox"/>	241	Mercury-All others	0.15	0.025 TCLP
<input type="checkbox"/>	189	Total PCBs(sum of all isomers, or all Aroclors)		0.10	10	<input type="checkbox"/>	242	Nickel	3.98	5.0 TCLP
<input type="checkbox"/>	190	Pentachlorobenzene		0.055	10	<input type="checkbox"/>	243	Selenium	0.82	0.16 TCLP
<input type="checkbox"/>	191	PeCDDs(All Pentachlorodibenzo-p-dioxins)		0.000063	0.001	<input type="checkbox"/>	244	Silver	0.43	0.30 TCLP
<input type="checkbox"/>	192	PeCDFs(All Pentachlorodibenzofurans)		0.000035	0.001	<input type="checkbox"/>	245	Sulfide	14	NA
<input type="checkbox"/>	193	Pentachloroethane		0.055	6.0	<input type="checkbox"/>	246	Thallium	1.4	0.078 TCLP
<input type="checkbox"/>	194	Pentachloronitrobenzene		0.055	6.0	<input type="checkbox"/>	247	Vanadium	4.3	0.23 TCLP
<input type="checkbox"/>	195	Pentachlorophenol		0.089	7.4	<input type="checkbox"/>	248	Zinc	2.61	5.3 TCLP
<input type="checkbox"/>	196	Phenacetin		0.081	16					

*LINE ITEM = MANIFEST LINE ITEM NUMBER (i.e. 11a, 11b.)